IntegraTV-4all: an interactive television for all

Luigi Ceccaroni
TMT Factory
Edificio Forum de la Tecnología
c. Marie Curie s/n
08042 Barcelona
Spain
luigi@tmtfactory.com

Paloma Martínez
Computer Science Department
Universidad Carlos III de Madrid
Avda. Universidad 30
28911 Leganés (Madrid)
Spain
pmf@inf.uc3m.es

Josefa Z. Hernández
Artificial Intelligence Department
Technical University of Madrid
Campus de Montegancedo s/n
28660 Boadilla del Monte (Madrid)
Spain
phernan@dia.fi.upm.es

Xavier Verdaguer
TMT Factory
Edificio Forum de la Tecnología
c. Marie Curie s/n
08042 Barcelona
Spain
xavier@tmtfactory.com

Abstract

A project of industrial research, oriented to the investigation related to the "e-inclusion and eattendance Strategic Action" of the Spanish National Program of Technologies of Services of the Information Society, is undertaken, whose object is the acquisition and application of new knowledge and techniques that can turn useful to contribute to considerably improve the services of interactive and personalized television. The project, IntegraTV-4all, is an effort towards a new television for all and to promote the access of people with disabilities to the new technologies, with a technological development adapted and oriented to their possibilities and necessities, which includes both graphical and naturallanguage, oral interfaces. This paper characterizes the general approach of the project, the effort about the design for all in the domain of interactive systems of digital-entertainment consumption, the development of multimodal interfaces and the dialogue management system. In the case of the natural-language interface, the interaction management is based upon an intentional processing dialogue model, named the "thread model"

1. Introduction

A model that supports the organization and dynamic presentation of multimedia content from a combination of live television programming, pre-recorded content, Internet resources and other

services at each interactive system of digitalentertainment consumption (ISDEC)¹ is needed [3]. Unlike classic television, ISDECs benefit most from thinking of them in terms of bits. Once in the machine, there is no need to view programs in the order they were sent [10]. Some kind of logic, either from the user or from some other source, can be applied on the multimedia content, with several scenarios as result. A few years from now, the 300-plus channels and the pre-recorded content we have now could evolve into one: MyTV, the channel you program yourself [12]. According to Chorianopoulos et al. [3], neither the vision of 300-plus channels, nor the vision of a single personalized channel is suitable. They propose a number of personalized virtual channels offering enough options in media experiences, while simplifying the choice from vast and diversified sources of media content. We here classify both MyTV and virtual channels approaches as instances of a personal guide of television programming (PGTP) super-class.

1.1. Interactive systems of digitalentertainment consumption

ISDECs offer high computational power and large memory. They can support advanced functionalities (e.g., user modeling,

¹ With the term ISDEC, the following concepts and technologies are represented: standalone personal video recorder (PVR), hybrid digital-recording device, home media server (HMS), server-based PVR (offered by some video-on-demand companies), PVR-integrated settop box (STB).

personalization, and speech-recognition) and store large amounts of multimedia content [1]. **IntegraTV**, the ISDEC on which the project described in this paper is based, is a service of interactive television for hotels (see Figure 1) that offers the following features: digital films, videogames, music, management of digital photos, a productivity suite, Internet access, local guide of touristic offer, and typical hotel services. IntegraTV version 1.0, in 2005, is launching in five Spanish hotels.



Figure 1. IntegraTV standard version's interface

1.2. Autonomous-agents technology

Among autonomous-agents technology and principles that can be applied in ISDECs, there are three main capabilities: (1) perception: the ability to recognize the surrounding environment, which content the user is paying attention to, what is in the hard disc, what is on the electronic programming guide (EPG), what is on the PGTP, what the user is saying; (2) action: the ability to respond to perceived sensation, to change one's own state or the state of the environment; many actions are usually available; common actions include all sort of data manipulation; (3) cognition: the ability to reason, including selecting from among the actions that are possible in response to perception; reasoning is a complex process that can include the ability to experiment and learn from the effects of the actions selected; cognition includes natural-language processing and comprehension, and dialogue management.

1.3. Speech-recognition in ISDECs

Apart from TMT Factory, at least two other companies, OneVideo Technology Corporation and Agile TV, are developing speech-recognition services that will let viewers change channels with voice prompts. Consumers speak into a microphone placed on a remote control, a set-top box or a headset. The services can recognize verbs like find, scan and record, topics like sports and movies, and the names of movie stars. Agile's service, called Promptu, also recognizes about 15 regional accents, and both systems claim to filter out extraneous noise. The brains of Promptu are at the distribution hubs run by cable companies. This means consumers need two-way communications with their television provider, something satellite providers do not have. Unlike in Promptu, in OneVideo's service, OneListener, the software is installed locally, making it possible for satellite or phone companies to offer the service, too.

With hundreds of channels and thousands of hours of video now available on most cable and satellite systems, providers are working with an array of PGTP developers. But most require remote controls packed with buttons or menu screens that can create more detours than pathways to favorite shows. Current tools are not sufficient for easy-to-find and easy-to-navigate searches. No company has committed yet to offering speech-recognition services to its customers, but several companies say they could sell or give away the services to win and retain subscribers. Customers with poor eyesight or other disabilities may also be targeted.

1.4. Interaction management in naturallanguage dialogues

The interaction management of the naturallanguage interface used in IntegraTV-4all has, as main objective, to achieve flexible and coherent human-computer interaction. With this purpose, the involved techniques are dialogue models, intentional processing and language technologies.

The approach follows the dialogue model called the *thread model* [6] that makes use of the *common ground* [4] concept for attaining coherent and fluent dialogues within an interaction. When two speakers converse, they cannot possibly exchange all of the information necessary to

ensure that their utterances are understood as intended. Instead, speakers assume that they share some *common ground* with their hearers. Clark and Schaefer [5] define common ground as the propositions whose truth the speaker takes for granted as part of the background of the conversation. As a conversation progresses, speakers presuppose the propositions which were conveyed in previous utterances, adding to the common ground. Thus the net effect of a conversation is to increase the amount of information that the conversants share.

The *thread model* is also based on another theory according to which discourse structure is composed of three separate but interrelated components: (1) the structure of the sequence of utterances (called the *linguistic structure*), (2) a structure of purposes (called the *intentional structure*), and (3) the state of focus of attention (called the *attentional state*) [9].

The interaction is conventionally considered the top level discourse unit, in spoken conversation. The sequence is a bloc of exchanges (see below) linked together with a high degree of semantic or pragmatic coherence and with relatively consistent participation by the speakers. A new sequence is supposed to have been initiated once a breakdown in semantic coherence, pragmatic coherence or speakers' participation causes the end of the previous sequence. In practice, deciding where one sequence ends and another begins can be problematic, but it is often possible to spot three types of sequence within an interaction: (1) an opening sequence which sets up the interaction (greeting), (2) one or more sequences with a transactional function, and (3) a closing sequence (salutation).

The *exchange* is the minimal unit of dialogue. It is conventional to distinguish three types of exchange:

 Exchanges composed of only one intervention (or truncated exchanges). These occur when an intervention gives rise to no reaction, either verbal or non-verbal.

Example:

- L1: What can I do for you?
- L2: [no reaction, either verbal or extra-verbal]
- 2. Exchanges composed of *two interventions*. This is the canonical scheme of the exchange. The first intervention is known as the *initiative* and the second as the *reaction* (or *answer*).

Example:

- L1: I'd like to know at what time the alarm is set to ring.
- L2: The alarm is programmed for eight in the morning.
- Exchanges composed of three interventions: an initiating intervention, a reactive intervention, and an evaluative intervention.

Example:

- L1: I'd like to know at what time the alarm is set to ring.
- L2: The alarm is programmed for eight in the morning.
- L1: Ah! Ok.

While the exchange is the basic unit of dialogue, the *intervention* is the basic unit produced by a single speaker, i.e. it is a monologic unit.

An intervention may contain several *speech* (or *communicative*) *acts* [2] [13].

Example:

L1: Good morning. (*Greet*) What can I do for you? (*Authorize*)

Language is used for representing the world, but above all it allows speakers to carry out actions (to greet, to ask for authorization, to give orders, to make requests, to thank...). Communicative acts are specific acts produced by language. The communicative act can be considered the minimal unit of the speech/discourse grammar.

2. IntegraTV-4all

A consortium coordinated by TMT Factory and formed, besides, by the Ramon Llull University (La Salle Engineering and Architecture; User Lab), the Technical University of Madrid (Department of Artificial Intelligence) and the Carlos III University of Madrid (Department of Computer Science) is carrying out a project, IntegraTV-4all, which wants to extend interactive television in new directions, through the development, and integration into the IntegraTV ISDEC, of a new module that contributes to facilitate the personal autonomy and the social integration of groups such as, primarily, people with some sensorial impairment (blindness, visual deficiencies, deafness, impaired hearing ability, limitations of speech). Potentially, nevertheless, the results of the project, which counts on the aid of the Spanish Ministry of Industry, Tourism and Trade through an important grant under the PROFIT program and on the collaboration of the ONCE foundation and the ATLAS and Fundosa Teleservicios companies, could also be useful for people with some physical or psychic impairment as well as for the elderly.



Figure 2. IntegraTV residential version's interface

The project is subdivided in several, sequential phases, of which the ones most related with ambient intelligence are described in this section. In Phase 2, a basic service of interactive television is implemented, which lets users navigate through the menus using their voice. More precisely, the output of Phase 2 will be put in operation in a hotel-chain and is characterized by the possibility for guests to activate and use the system by voice, in such a way that they will be able to take advantage of all the services of version 1.0 of IntegraTV and to navigate through the system without the need of visual references, given that all the options on the screen and all the texts are presented by voice. In Phase 2, adapted content, created for users with disabilities, is integrated into the system, too. During Phase 3, described in detail later, a residential version of the service is developed (see Figure 2) and conversational capabilities are added to the system, within a limited domain. Table 1 shows a comparison of the main menu's content for the hotel and residential versions of the service.

2.1. Target users and service options

Unlike previous versions of IntegraTV, IntegraTV-4all is not only hotel-oriented, but is

also thought for domestic users. It has to work for users with sensorial impairments, but it has also to be accessible for elder people and it has to be useful for any user without impairments (design for all). Target users are classified in the following groups:

- 1. people with visual deficiencies (including the blind):
- 2. people with hearing and speaking disorders (including the hard of hearing and the deaf);
- 3. people with access difficulties to the TV system and the elderly;
- 4. people without impairments.

Hotel version	Residential version
Movies	Videoclub
Games	Games and Contests
Music & Radio	Music, Radio and Photos
My Photos	Internet and Office
Internet	Videochat and Telephone
OfficeTV	Cultural, Leisure Time
City Guide	Shop and other Services
Guest Services	Banc and Accounting
Watch TV	Training
	TV channels

Table 1. Content of the main menu of the service

Although the system will try to be apt for all the impairments described, the previous segmentation of users helps to activate or deactivate the following options:

- 1. Control by voice: for users with visual deficiencies (see Figure 3). Data input is made by natural language, and all the options of the menus as well as all the texts and the answers of the system are spoken.
- 2. Addition of sign language and subtitles: for people with hearing and speaking disorders (see Figure 4). Data input is made with the remote control or the keyboard, and the system always presents the information with texts, and subtitles or sign language (integration with the virtual characters described later).
- 3. Interface with interactive, virtual presenter: for people with access difficulties to the TV system and the elderly. The interactive, virtual presenter assists users during navigation and is conceived as a likeable assistant which facilitates the use of the system.



Figure 3. IntegraTV-4all's interface for users with visual deficiencies



Figure 4. IntegraTV-4all's interface for users with hearing and speaking disorders

2.2. User interface and functioning of the navigation system

The main menu of IntegraTV-4all includes the following options: Television - Movies - Music - Telephone - Alarm Clock - Assistant (see Figure 5). Each menu gives access to a series of tree-like sub-menus

In one of its configurations (option 3 above), IntegraTV-4all's interface includes two types of virtual characters, which can, at times, be integrated between them:

1. Realistic, virtual speaker (RVS). With the objective of improving the levels of accessibility and usability of the system, the La Salle Engineering and Architecture group is developing a system of realistic, virtual locution with expressive speech. Concretely, the study

and development of a new output interface is proposed, based on a talking head of easy personalization. In order to reach this goal, the interface is equipped with the capability to show a realistic face, generated from previously recorded images, and to provide it with a more natural behavior through synthetic, expressive speech along with the corresponding face expressions.

2. Interactive, virtual presenter (IVP). TMT Factory is developing a virtual presenter (see Figure 5) which contributes to the replacement of the standard menu interface and appears on the screen with all the options of each section represented by icons located around it on an ellipse and with a certain depth. The IVP gives the user suggestions and assists him, when necessary, in the use of the system. Once an order is received from the user (the selection of an option), the IVP takes the corresponding icon and locates it in the foreground, while the non-chosen icons are replaced (using an animation) by the sub-options of the new section. It is important to consider, though, that the contribution of the IVP is more in the highquality interface and friendliness, than in the capabilities of natural-language processing, which is carried out by other modules of the system.



Figure 5. IntegraTV-4all's interactive, virtual presenter

For users with hearing disorders, in the bottom part of the screen, subtitles are shown with the output of the RSV or IVP, and the interpretation that the system makes of user requests.

In the bottom part of the screen, there are always three other icons: back, menu and help (or

info). In most cases, two other icons are present on the screen: *television* and *suggestions*. Although the navigation system is thought so that it works by voice, the remote control can also be used in order that with the left and right arrows it is possible to change option, and with the *ok* key the option is confirmed.

2.3. Services

IntegraTV-4all (Phase 3) includes all the services of IntegraTV (see section 1.1) and, in addition, the following ones (corresponding to user groups described in section 2.1):

- 1. services for people with reduced or no visual ability:
 - 1.1 *alarm clock* and *sleeper* with management by means of natural-language, free dialog (see section 3);
 - 1.2 room or home audio-guides, with an ad-hoc description of the surrounding environment;
 - 1.3 communication with hotel's reception and customer service, integrating the functionality of the telephone (version for hotels only);
- 2. visual, on-screen alerts for people with reduced or no hearing ability:
 - 2.1 alert for incoming telephone call;
 - 2.2 alert for call at the door;
 - 2.3 communication with hotel's reception and customer service by means of text and images (version for hotels only);
- 3. more intuitive, warm interface:
- 3.1 interactive, virtual presenter;
- 3.2 room or home audio-guides.



Figure 6. Example end-user scenario for the final demonstrator of IntegraTV-4all

An example end-user scenario for the final demonstrator is as follows (see also Figure 6):

A person with reduced or no visual ability goes to a room of a hotel, opens the door and leaves his suitcases. Ten seconds after the door has been opened, the audio-guide's "Welcome to the hotel" message begins to play. The client listens to the greeting message and the description of her room. Once the description is finished, the system informs about the available options of dialogue and then waits activated, ready to begin a conversation. The client prefers to begin arranging her stuff. After a while, she decides to begin the conversation with the system, for instance to try and program the alarm clock.

3. Conversational capabilities

Although the interaction manager can be applied to any application domain, in IntegraTV-4all it is limited to the domain of the *alarm clock*, where it will have conversational capabilities. Let us consider the following scene, continuation of the previous scenario, in which J. is in her hotel room and is prepared to go downstairs to have lunch, but, before that, she decides to configure the alarm clock for the following morning (by means of the system for recognition and management of free language).

J: Computer ...morning!

IntegraTV-4all: Good morning. What can I do for you?

J: I'd like to know at what time the alarm is set to

IntegraTV-4all: The alarm is programmed for eight in the morning.

J: I want to change the time.

IntegraTV-4all: Tell me to what new time you wish to program it.

J: To a quarter past nine.

IntegraTV-4all: The alarm has been set to a quarter past nine in the morning.

 $\hat{\boldsymbol{J}}$: Good, thank you very much.

IntegraTV-4all: So long.

J: So long.

The program that generates the interventions of IntegraTV-4all in answer to the requests of J. handles the dialogue as the combination of discourse threads. At any given time during the

interaction, only one of these threads is developed. Threads' main features are, among others, their unique purpose (or *intention*, as stated by Grice [7]), their state, their context space and their *commitment* (see below). All this information belongs to the common ground and is shared between user and system (the speakers).

It is necessary to assure a certain level of accuracy for the shared conjectures held in the common ground and this is obtained through the *thread commitment*, whose basis is, again, found in the theories of the common ground and the joint action. It may happen that certain events during the thread development affect the commitment (weakening or reinforcing it); if the commitment falls too low, the system tries reinforcing it, thus assuring the progress of the interaction.

The order in which the threads are developed is not fixed, but dynamically arranged by both speakers during the interaction. However, for a thread to be developed, both participants in the interaction have to be focusing on that thread. Hence, in the frame of Grosz and Sidner's theory [9], an attentional structure is needed to keep track of speakers' focus and thread development. The reinforcement processes, sometimes carried out by the system, by avoiding focus losses and speeding up the interaction, also affect the attentional state. A first version of this approach has been tested in a virtual assistant for e-commerce during the ADVICE European project [7], and an enhanced version was implemented within the VIP-Advisor Project, concerning an assistant for risk management [10].

3.1. Interaction processing

Any user-intervention is formed by one or more communicative acts. When the user utters her intervention, she could be aimed to develop an existing thread or to introduce a new one (initiative). During the interaction analysis, every utterance found is translated into actions (communicative acts). The interaction is segmented into independent sequences and these ones are segmented into exchanges. (An example of segmentation is shown in Figure 7.) Then, a set of threads, with their ordered sets of actions, is identified.

The thread model considers the dialogue as a combined activity in which the speakers introduce

and share goals that are developed during the interaction. For that, both participants advance in the dialogue according to certain rules (such as, for example, that after a question it is possible and probable that an answer appears). The set of possible steps (interventions), in any given moment, is different, based on the state in which the development of a specific goal (formalized by means of a thread) is.

This form of managing the development of each thread takes the name of *dialogue games*, and can be carried out, for example, using nondeterministic finite-states automata. The system considers a series of possible states and the possible transitions among them that can be made during the conversation. Transitions among states can be caused as much by the dialogue manager as by the interventions of the user. More precisely, it is the analysis of a communicative act that makes an automaton evolve towards another state.




Figure 7. Example of dialogue segmentation into exchanges.

With this model it is possible to maintain different threads open during a conversation. Each thread is introduced to reach a different goal. These threads are organized hierarchically, being the goal of the base thread the development of the very conversation between the IntegraTV-4all system and the user

4. Conclusions

The IntegraTV-4all project aims to apply advanced artificial-intelligence techniques, such as natural-language processing, to achieve adapted services of leisure, information and telework through the television system, primarily in especially accessible hotels. These services, which are being deployed in 2005, are characterized by advanced visual and speech interfaces to facilitate the stay to guests with sensorial disabilities. These services can contribute to facilitate the personal autonomy and the social integration of groups such as, above all, people with some sensorial impairment. Potentially, nevertheless, the results of the project could also be useful for people with some physical or psychic impairment as well as for the elderly.

Acknowledgements

This work was conducted as a part of the IntegraTV-4all project. Various people at TMT Factory did a portion of the work on the prototype interface. This work was funded in part by grant FIT-350301-2004-2 from the Spanish Ministry of Industry, Tourism and Trade, through the PROFIT program. Any opinions, findings and conclusions or recommendations expressed in this paper are those of the authors and do not necessarily reflect those of the Spanish Ministry of Industry, Tourism and Trade.

References

[1] Ardissono, L., Portis, F., Torasso, P., Bellifemine, F., Chiarotto, A. and Difino, A. Architecture of a system for the generation of personalized Electronic Program Guides. In Proc. UM2001 Workshop on Personalization in Future TV (TV'01), Sonthofen, Germany, 2001.

- [2] Austin, J. L. How to do things with words. Harvard University Press; 2nd edition, 1975.
- [3] Chorianopoulos, K., Lekakos, G. and Spinellis, D. The virtual channel model for personalized television. In Proc. 1st European Conference on Interactive Television, 2003.
- [4] Clark, H. H. Using Language. Cambridge Univ. Press, 1996.
- [5] Clark, H. H. and Schaefer, E. F. Contributing to Discourse. Cognitive Science, 13(2), 259-294, 1989.
- [6] Garcia-Serrano, A. and Calle, J. A Cognitive Architecture for the Design of an Interaction Agent. In Klusch, M., Ossowski, S. and Shehory, O. (eds.) Cooperative Information Agents, LNAI 2446. Springer, 2002.
- [7] García-Serrano, A., Martínez, P. and Hernández, J. Z. Using AI techniques to support advanced interaction capabilities. In Expert Systems with applications, 26 (3): 413-426, 2004.
- [8] Grice, H. P. Studies in the way of words. Harvard University Press, 1975.
- [9] Grosz, B. and Sidner C. Attention, Intentions, and the Structure of Discourse. In Computational Linguistics 12: 175-204, 1986.
- [10] Hernández, J. Z. García-Serrano, A. and Calle-Gómez, J. Dialoguing with an Online Assistant in a Financial Domain: The VIP-Advisor Approach. In proceedings of AIAI 2004: 305-314, 2004.
- [11] Negroponte, N. Being digital. New York, Vintage Books, 1995.
- [12] Rose, F. The Fast-Forward, On-Demand, Network-Smashing Future of Television. Wired, 2003.
- [13] Searle, J. R. Speech Acts: an essay in the philosophy of language. Cambridge Univ. Press, 1969.